

Maintenance instructions for worktops from large-format ceramics DEKTON®

Cleaning and maintenance

The ultra-compact new surface DEKTON® by Cosentino is due to its special production process completely non-porous and therefore also extremely resistant. It is highly resistant against stains arisen in household and against usual chemicals. It is an ideal material for applications as kitchen worktop, in bathrooms, as floor tiles or for use outdoors. Daily cleaning of DEKTON® by Cosentino is due to excellent product characteristics very easy:

It is sufficient to wipe off the surface with a wet dishcloth and to let it dry as for daily maintenance – if necessary use also some glass cleaner. In more complicated case, when a layer of dirtiness formed already on the surface, Cosentino recommends you to use cleaners as „Q-Action“ or other mild cleaners. Spray the cleaner on the surface and let it work for 1 minute at the best... Wipe the surface off after the cleaning with a clean wet dishcloth (containing microfibers at the best).

Removal of stubborn stains

As the matt surface of DEKTON® by Cosentino is resistant against practically all cleaners used in households, it is almost impossible that the stains occur. Nevertheless, if the surface is for more than 24 hours in contact with strongly colouring substances, aggressive chemicals of rests of glues, the stains may in individual cases arise.

In these cases it is necessary to apply special products, as cleaners containing milling particles (e.g. coarse-grained cleaning milk) or solvents (acetone, universal-solvent agents

etc.). In especially complicated cases or when your surface is necessary to be cleaned from unusual dirtiness, Cosentino or the fabricator will help you with pleasure.

Stain	Cleaning agent
Rust	Rust cleaners

Fat	Cleaners on alkalic basis

Cola-drinks	Oxi-cleaners

Red wine	Cleaners on alkalic or acid basis

Lime	Lime cleaner on acid basis

Coffee	Cleaners on alkalic basis

General recommendations

In spite of the fact that DEKTON® by Cosentino is also resistant against scratches, hits and heat effect, it is recommended to use for cutting the foodstuff a cutting pad, just to save your kitchen utensils. Do not apply strong force by using sharp or hard objects, in spite of the fact that your surface is very robust.

Precautions

- ❖ Do not get the surface into contact with hydrofluoric acid (HF).
- ❖ Do not re-polish the surface. Therefore do not apply, please, any furniture cleaners, colour enhancers, hydrophobic impregnation or sealing agents. As DEKTON® by Cosentino is almost zero-porous, re-polishing is unnecessary at all.
- ❖ If you use products that we did not recommend you, the guarantee could be declared void. In case such products got unwillingly in contact with the surface, it is strongly recommended to remove them immediately from the surface by means of sufficient quantity of water and use of a neutral cleaning agent.

Registration for longer guarantee

In order to become longer guarantee for hidden defects of the material, it is necessary to register the product by the supplier of the raw slabs, company Cosentino. Will you please study the Claim Rules of the company MosaicTech, where the registration is mentioned in details. For purposes of this registration company MosaicTech obtained the number 6000016528.